

B.lux

What's New V4

Decorative
Lighting

Architectural
Lighting

Outdoor
Lighting

bluxlighting.com



Decorative lighting



Beaded S

by
Werner Aisslinger

Decorative
lighting

Decorative
lamps

Beaded S is a family of pendant luminaires manufactured in aluminium and blown glass. Beaded is available in an individual version (S1) or in clusters of 3 or 5 light fittings (S3 and S5), as well as in a horizontal version with two or three luminaires (SH2 and SH3). Its double blown glass diffuser is available in opal white or smoke grey; the latter option contains a flat internal diffuser to prevent the light source from being seen. These luminaires can be freely installed at different heights, meaning they can be adapted to any height. The central aluminium ring is made with a textured matte black finish.

Beaded S es una familia de luminarias de suspensión fabricada en aluminio y vidrio soplado. Beaded está disponible en versión individual vertical (S1) o en clústeres verticales de 3 o 5 luminarias (S3 y S5), así como en versión horizontal de dos o tres luminarias (SH2 y SH3). Su doble difusor de vidrio soplado está disponible en blanco opal o gris fumé; esta última opción contiene un difusor interno plano para evitar ver la fuente de luz. Las luminarias se pueden instalar a diferentes alturas de forma libre, permitiendo adecuarlas a cualquier altura. El anillo central de aluminio se fabrica en acabado negro mate texturizado.


Beaded S ist eine Familie von Pendelleuchten aus Aluminium und geblasenem Glas. Beaded ist als individuelle Version (S1), als Verbund von 3 oder 5 Leuchten (S3 und S5) sowie als horizontale Version mit zwei oder drei Leuchten (SH2 und SH3) erhältlich. Ihr doppelter Diffusor aus geblasenem Glas ist in Opalweiß oder Rauchgrau erhältlich, wobei die zweite Option einen flachen internen Diffusor enthält, sodass die Lichtquelle nicht sichtbar ist. Die Leuchten können in verschiedenen Höhen frei installiert werden und erlauben somit die Anpassung an jede Höhe. Der zentrale Aluminiumring hat eine strukturierte mattschwarze Oberfläche.



Beaded



BEADED S1




● Smoke Grey ○ Opal

772310 BEADED S1 SMOKE GREY LED 2 x 11W 2500lm 2700K CRI≥90 230V DIM PUSH/DALI
772311 BEADED S1 OPAL



BEADED S3




Smoke Grey Opal

772330 **BEADED S3** SMOKE GREY LED 6 x 11W 7500lm 2700K CRI≥90 230V DIM PUSH/DALI
772331 **BEADED S3** OPAL



BEADED S5




Smoke Grey Opal

772350 **BEADED S5** SMOKE GREY LED 10 x 11W 12500lm 2700K CRI≥90 230V DIM PUSH/DALI
772351 **BEADED S5** OPAL






BEADED SH2



BEADED SH3



● Smoke Grey ○ Opal

772370	BEADED SH2 SMOKE GREY	LED 4 x 11W 5000lm 2700K CRI≥90 230V DIM PUSH/DALI
772371	BEADED SH2 OPAL	
772380	BEADED SH3 SMOKE GREY	LED 6 x 11W 7500lm 2700K CRI≥90 230V DIM PUSH/DALI
772381	BEADED SH3 OPAL	



Beaded F

by
Werner Aisslinger

Decorative
lighting


Floor
lamps

Beaded F is a floor lamp manufactured in aluminium and blown glass. Its double diffuser, for direct and indirect light, is available in opal white or smoke grey; the latter option contains a flat internal diffuser to prevent the light source from being seen. The central aluminium ring is made with a textured matte black finish.

Beaded F es una luminaria de pie fabricada en aluminio y vidrio soplado. Su doble difusor de luz directa e indirecta está disponible en blanco opal o gris fumé; esta última opción contiene un difusor interno plano para evitar ver la fuente de luz. El anillo central de aluminio se fabrica en acabado negro mate texturizado.

Beaded F ist eine Stehleuchte aus Aluminium und geblasenem Glas. Ihr doppelter Diffusor mit direktem und indirektem Licht ist in Opalweiß oder Rauchgrau erhältlich, wobei die zweite Option einen flachen internen Diffusor enthält, sodass die Lichtquelle nicht sichtbar ist. Der zentrale Aluminiumring hat eine strukturierte mattschwarze Oberfläche.

BEADED F



● Smoke Grey ○ Opal

772200	BEADED F SMOKE GREY	LED 2 x 11W 2500lm 2700K CRI≥90 230V DIM
772201	BEADED F OPAL	



Beaded T

by
Werner Aisslinger

Decorative
lighting

Table
lamps


Beaded T is a table lamp made of aluminium and blown glass. Its double diffuser, for direct and indirect light, is available in opal white or smoke grey; the latter option contains a flat internal diffuser to prevent the light source from being seen. The central aluminium ring is made with a textured matte black finish.

Beaded T es una luminaria de mesa fabricada en aluminio y vidrio soplado. Su doble difusor, de luz directa e indirecta, está disponible en blanco opal o gris fumé; esta última opción contiene un difusor interno plano para evitar ver la fuente de luz. El anillo central de aluminio se fabrica en acabado negro mate texturizado.

Beaded T ist eine Tischleuchte aus Aluminium und geblasenem Glas. Ihr doppelter Diffusor mit direktem und indirektem Licht ist in Opalweiß oder Rauchgrau erhältlich, wobei die zweite Option einen flachen internen Diffusor enthält, sodass die Lichtquelle nicht sichtbar ist. Der zentrale Aluminiumring hat eine strukturierte mattschwarze Oberfläche.



BEADED T



Smoke Grey Opal

772000	BEADED T SMOKE GREY	LED 2 x 11W 2500lm 2700K CRI≥90 230V DIM
772001	BEADED T OPAL	



Beaded C

by
Werner Aisslinger

Decorative
lighting

Ceiling
lamps


Beaded C is a ceiling light with small dimensions and made of aluminium and blown glass. Its diffuser is available in opal white or smoke grey; the latter option contains a flat internal diffuser to prevent the light source from being seen. The central aluminium ring is made with a textured matte black finish.

Beaded C es un plafón de dimensiones contenidas fabricado en aluminio y vidrio soplado. Su difusor está disponible en blanco opal o gris fumé; esta última opción contiene un difusor interno plano para evitar ver la fuente de luz. El anillo central de aluminio se fabrica en acabado negro mate texturizado.

Beaded C ist eine Deckenleuchte mit kompakten Abmessungen aus Aluminium und geblasenem Glas. Ihr Diffusor ist in Opalweiß oder Rauchgrau erhältlich, wobei die zweite Option einen flachen internen Diffusor enthält, sodass die Lichtquelle nicht sichtbar ist. Der zentrale Aluminiumring hat eine strukturierte mattschwarze Oberfläche.



BEADED C



● Smoke Grey ○ Opal

772400	BEADED C SMOKE GREY	LED 11W 1250lm 2700K CRI≥90 230V
772401	BEADED C OPAL	



Berry S

by
Stones Designs

Decorative
lighting

Ceiling
lamps

Berry S is an individual pendant light fitting with a light head equipped with a magnetic system that allows it to be moved with complete freedom. Berry has a lens with a 36° aperture, which provides highly controlled lighting that can be freely focused wherever required. Finishes: Black, white, beige or bronze.


Berry S es una luminaria de suspensión individual con una cabeza lumínica dotada de un sistema magnético que nos permite moverla con total libertad. Berry cuenta con una lente de 36° de apertura que proporciona una luz muy controlada para focalizarla libremente allá donde se desee. Acabados: Negro, blanco, beige o bronce.

Berry S ist eine individuelle Pendelleuchte mit einem Leuchtenkopf, dessen Magnetsystem es ermöglicht, ihn frei zu bewegen. Berry hat eine Linse mit 36°-Öffnungswinkel für ein sehr kontrolliertes Licht, das Sie beliebig auf die gewünschte Stelle fokussieren können. Ausführungen: Schwarz, Weiß, Beige oder Bronze.





BERRY S



- Black (matte)
- White (matte)
- Beige (matte)
- Bronze (matte)

766300	BERRY S BLACK	LED 4,5W 546lm 250mA 2700K CRI≥90 230V
766301	BERRY S WHITE	
766302	BERRY S BEIGE	
766303	BERRY S BRONZE	



Berry F

by
Stone Designs

Decorative
lighting



Ceiling
lamps

Berry F is a floor lamp with a lighting head that's equipped with a magnetic system enabling it to be moved with complete freedom. Berry has a lens with a 36° aperture, which provides highly controlled lighting that can be freely focused wherever required. In addition, its head can rotate 360°, meaning it can be used for either direct or indirect lighting. Finishes: Black, white, beige or bronze.

Berry F es una luminaria de pie con una cabeza lumínica dotada de un sistema magnético que nos permite moverla con total libertad. Berry cuenta con una lente de 36° de apertura que proporciona una luz muy controlada para focalizarla libremente allá donde se desee. Además, la cabeza gira 360°, permitiendo emplearla como luz directa o indirecta. Acabados: Negro, blanco, beige o bronce.

Berry F Stehleuchte mit einem Leuchtenkopf, dessen Magnetsystem es ermöglicht, ihn frei zu bewegen. Berry hat eine Linse mit 36°-Öffnungswinkel für ein sehr kontrolliertes Licht, das Sie beliebig auf die gewünschte Stelle fokussieren können. Außerdem ist der Kopf um 360° drehbar, sodass er für direktes oder indirektes Licht verwendet werden kann. Ausführungen: Schwarz, Weiß, Beige oder Bronze.

BERRY F



*More angles available under request



- Black (matte)
- White (matte)
- Beige (matte)
- Bronze (matte)

766200	BERRY F BLACK	LED 4,5W 546lm 250mA 2700K CRI≥90 230V
766201	BERRY F WHITE	
766202	BERRY F BEIGE	
766203	BERRY F BRONZE	



Berry W

by
Stone Designs

Decorative
lighting

Wall
lamps



Berry W is an individual wall light with a lighting head that's equipped with a magnetic system enabling it to be moved with complete freedom. Berry has a lens with a 36° aperture, which means the light can be easily controlled to freely focus it wherever required, allowing it to be used as ambient lighting or a reading light. Finishes: Black, white, beige or bronze.

Berry W es una luminaria de aplique individual con una cabeza lumínica dotada de un sistema magnético que nos permite moverla con total libertad. Berry cuenta con una lente de 36° de apertura que proporciona una luz muy controlada para focalizarla libremente allá donde se desee, permitiendo emplearla como luz de ambiente o de lectura. Acabados: Negro, blanco, beige o bronce.

Berry W eine individuelle Wandleuchte mit einem Leuchtenkopf, dessen Magnetsystem es ermöglicht, ihn frei zu bewegen. Berry hat eine Linse mit 36°-Öffnungswinkel für ein sehr kontrolliertes Licht, das Sie beliebig auf die gewünschte Stelle fokussieren können, sodass die Verwendung als Umgebungs- oder Leselicht möglich ist. Ausführungen: Schwarz, Weiß, Beige oder Bronze.



BERRY W



- Black (matte)
- White (matte)
- Beige (matte)
- Bronze (matte)

766110	BERRY W BLACK	LED 4,5W 546lm 250mA 2700K CRI≥90 230V
766111	BERRY W WHITE	
766112	BERRY W BEIGE	
766113	BERRY W BRONZE	



Bowee W3

by
Werner Aisslinger

Decorative
lighting

Wall
lamps


LED wall lamp made with a half-sphere shades. The light source can be adjusted on its horizontal axis and gives direct and diffused light. Available in matte black, matte turquoise and matte beige.

Luminaria LED de pared formada por una pantalla de forma semiesférica. La fuente de luz es orientable en su eje horizontal, y emite luz directa y difusa. Disponible en acabado negro mate, turquesa mate, y beige mate.

LED-Wandleuchte bestehend aus halbkugelförmigen Schirmen. Die Lichtquelle ist auf ihrer horizontalen Achse ausrichtbar und gibt direktes sowie diffuses Licht ab. Verfügbar in einer matt Schwarzbenen, matt türkisfarbenen und matt beigefarbenen Ausführung.



BOWEE W3



- Beige (matte)
- Clear turquoise (matte)
- Black (matte)

758130	BOWEE W3 BEIGE	LED 8W 560lm 2700K CRI≥90 230V
758131	BOWEE W3 CLEAR TURQUOISE	
758133	BOWEE W3 BLACK	



C_Ball Number

by
Stone Designs

Decorative
lighting

Wall
lamps


Decorative wall lamp consisting of an opal glass sphere and metal components finished in satin brass or matte black. The C_Ball Number option allows us to add numbers to the luminaire. This solution is focused on the hospitality market.

Aplique decorativo formado por una esfera de vidrio opal y partes metálicas acabadas en latón satinado, o en negro mate. También está disponible la opción C_Ball Number, orientada al sector hotelero, que permite personalizar la luminaria con números.

Dekorative Wandleuchte mit einer Opalglaskugel und Metallteilen in den Ausführungen Blech satiniert oder Schwarz lackiert. Auch erhältlich in der Variante Option C_Ball Number für den Hotelsektor, welche die Personalisierung der Leuchte mit Nummern ermöglicht.



C_BALL W NUMBER



- Brass (satin)
- Black (matte)

748400 C_BALL W NUMBER BRASS LED 6W (E14)

*Custom colours and braille option available under request.



Crosshatch S

by
Brad Ascalon

**Decorative
lighting**

lamps

Crosshatch S is a pendant light comprised of a metal grid structure available in two formats (M and L) and a light source made of blown glass. Its internal wiring means both sizes can be combined with each other to create multiple compositions that use a single connection. The lightness of its structure enables the creation of large volumes without overloading the space.


Crosshatch S es una suspensión formada por una estructura reticular metálica disponible en dos formatos (M y L) y fuente de luz fabricada en vidrio soplado. Su cableado interno permite combinar ambos tamaños entre sí para crear múltiples composiciones empleando una única toma eléctrica. La ligereza de su estructura permite crear grandes volúmenes sin recargar el espacio.

Crosshatch S ist eine Aufhängung, die aus einer Metallgitterstruktur besteht und in zwei Größen (M und L) und Lichtquelle aus geblasenem Glas. Die interne Verkabelung erlaubt die Kombination beider Größen, sodass verschiedene Kompositionen an einer einzigen Steckdose kreiert werden können. Die Leichtigkeit der Struktur ermöglicht die Erschaffung großvolumiger Elemente, ohne den Raum zu überladen.






CROSSHATCH S-M



CROSSHATCH S-L



● Black (matte)

767310	CROSSHATCH S - M	2x LED 16W 3600lm 2700K CRI≥90 230V DIM PHASE CUT
767320	CROSSHATCH S - L	3x LED 16W 5400lm 2700K CRI≥90 230V DIM PHASE CUT



Crosshatch C

by
Brad Ascalon

**Decorative
lighting**

lamps

Crosshatch C is a ceiling light comprised of a metal grid structure available in three formats (S, M and L) and a light source made of blown glass. Its internal wiring means the three sizes can be combined with one another to create multiple compositions using a single connection. The lightness of its structure enables the creation of large volumes without overloading the space.


Crosshatch C es un plafón formado por una estructura reticular metálica disponible en tres formatos (S, M y L) y fuente de luz fabricada en vidrio soplado. Su cableado interno permite combinar los tres tamaños entre sí para crear múltiples composiciones empleando una única toma eléctrica. La ligereza de su estructura permite crear grandes volúmenes sin recargar el espacio.

Crosshatch C ist eine Deckenleuchte, die aus einer Metallgitterstruktur besteht und in drei Größen (S, M und L) und Lichtquelle aus geblasenem Glas. Die interne Verkabelung erlaubt die Kombination der drei Größen, sodass verschiedene Kompositionen an einer einzigen Steckdose kreiert werden können. Die Leichtigkeit der Struktur ermöglicht die Erschaffung großvolumiger Elemente, ohne den Raum zu überladen.







CROSSHATCH C/W - S




CROSSHATCH C/W - M



CROSSHATCH C/W - L



INSTALLATION EXAMPLE



● Black (matte)

767100	CROSSHATCH C/W - S	LED 16W 1800lm 2700K CRI≥ 230V DIM PHASE CUT
767110	CROSSHATCH C/W - M	2 x LED 16W 3600lm 2700K CRI≥ 230V DIM PHASE CUT
767120	CROSSHATCH C/W - L	3 x LED 16W 5400lm 2700K CRI≥ 230V DIM PHASE CUT



Crosshatch W

by
Brad Ascalon

**Decorative
lighting**

Wall
lamps

Crosshatch W is a wall light comprised of a metal grid structure available in three formats (S, M and L) and a light source made of blown glass. Its internal wiring means the three sizes can be combined with one another to create multiple compositions using a single connection. The lightness of its structure enables the creation of large volumes without overloading the space. There is a shelf accessory available which allows it to be positioned in multiple layouts. The Crosshatch Number option allows us to add numbers to the luminaire. This solution is focused on the hospitality market.


Crosshatch W es un aplique formado por una estructura reticular metálica disponible en tres formatos (S, M y L) y fuente de luz fabricada en vidrio soplado. Su cableado interno permite combinar los tres tamaños entre sí para crear múltiples composiciones empleando una única toma eléctrica. La ligereza de su estructura permite crear grandes volúmenes sin recargar el espacio. Hay disponible un accesorio de estantería que permite ubicarla en múltiples disposiciones. También está disponible la opción Crosshatch Number, orientada al sector hotelero, que permite personalizar la luminaria con números.

Crosshatch W ist eine Wandleuchte, die aus einer Metallgitterstruktur besteht und in drei Größen (S, M und L) und Lichtquelle aus geblasenem Glas. Die interne Verkabelung erlaubt die Kombination der drei Größen, sodass verschiedene Kompositionen an einer einzigen Steckdose kreiert werden können. Die Leichtigkeit der Struktur ermöglicht die Erschaffung großvolumiger Elemente, ohne den Raum zu überladen. Als Zubehör ist ein Regal erhältlich, mit dessen Hilfe die Leuchte in vielfältigen Anordnungen positioniert werden kann. Auch erhältlich in der Variante Option Crosshatch Number für den Hotelsektor, welche die Personalisierung der Leuchte mit Nummern ermöglicht.







CROSSHATCH C/W - S




CROSSHATCH C/W - M




CROSSHATCH C/W - L



CROSSHATCH NUMBER



INSTALLATION EXAMPLE



Black (matte) Brass (Crosshatch Number)

767100	CROSSHATCH C/W - S	LED 16W 1800lm 2700K CRI≥90 230V DIM PHASE CUT
767110	CROSSHATCH C/W - M	2 x LED 16W 3600lm 2700K CRI≥90 230V DIM PHASE CUT
767120	CROSSHATCH C/W - L	3 x LED 16W 1800lm 2700K CRI≥90 230V DIM PHASE CUT
767980	CROSSHATCH SHELF	

767961	CROSSHATCH NUMBER BLACK	LED 10W 895lm 2700K CRI≥90 230V DIM PHASE CUT
767962	CROSSHATCH NUMBER BRASS	

*Braille option available under request.



Micro


by
David Abad

Decorative
lighting
lamps


Metal suspension lamp with a direct light. Available in different matte finishes: *Black, White, Brass, Mustard, Lemon, Mango, Pearl, Orange, Burgundy, Rose, Red, Aqua, River, Horizon, Turquoise, Forest, Khaki, Silex, Concret, Limestone, Grey, Brown, Snow and Terracotta*. Direct light. Available in three finishes.

Luminaria de suspensión metálica de luz directa. Disponible en diferentes acabados mate: *Black, White, Brass, Mustard, Lemon, Mango, Pearl, Orange, Burgundy, Rose, Red, Aqua, River, Horizon, Turquoise, Forest, Khaki, Silex, Concret, Limestone, Grey, Brown, Snow y Terracotta*. Luz directa. Disponible en tres tamaños.


Metallhängeleuchte. Direkte Beleuchtung. Verfügbar in verschiedenen Ausfertigungen in matt: *Black, White, Brass, Mustard, Lemon, Mango, Pearl, Orange, Burgundy, Rose, Red, Aqua, River, Horizon, Turquoise, Forest, Khaki, Silex, Concret, Limestone, Grey, Brown, Snow und Terracotta*. Direkte Beleuchtung. Lieferbar in drei Größen.




MICRO S50



MICRO S75



MICRO S OVERSIZE



Check out your colour at
www.bluxlighting.com



● Black (matte)	○ White (matte)
● Brass (matte)	● Horizon (matte) RAL 5023
● Mustard (matte) RAL 1012	● Turquoise (matte) RAL 6034
● Lemon (matte) RAL 1018	● Forest (matte) RAL 6035
● Mango (matte) RAL 1034	● Khaki (matte) RAL 7008
● Pearl (matte) RAL 1035	● Silex (matte) RAL 7032
● Orange (matte) RAL 2013	● Concret (matte) RAL 7033
● Burgundy (matte) RAL 3011	● Limestone (matte) RAL 7035
● Rose (matte) RAL 3015	● Grey (matte) RAL 7037
● Red (matte) RAL 3020	● Brown (matte) RAL 8025
● Aqua (matte) RAL 5024	○ Snow (matte) RAL 9003
● River (matte) RAL 5017	● Terracotta (matte)

716300	MICRO S50 BLACK	LED 6,3W 540lm 350mA 2700K CRI≥90 110-230V
716301	MICRO S50 WHITE	
716301+C	MICRO S50 +	
716310	MICRO S75 BLACK	LED 8,8W 770lm 250mA 2700K CRI≥90 230V
716311	MICRO S75 WHITE	
716311+C	MICRO S75 +	
716320	MICRO S OVERSIZE BLACK	LED 8,8W 770lm 250mA 2700K CRI≥90 230V
716321	MICRO S OVERSIZE WHITE	
716321+C	MICRO S OVERSIZE +	

*+C: select colour

Misko SH

by
Stone Designs

Decorative
lighting
lamps


A horizontal suspended luminaire inspired by Japanese design. It is created from a metal structure that holds two or three shades. The lower closure and upper ring are available in a natural walnut or matte black finish, and support the textured blown glass diffuser, which has a matte white opal finish. The glass is available in three sizes (15, 25 and 35), allowing for multiple compositions with two or three glass diffusers. Black textile cable.

Luminaria de suspensión horizontal, de inspiración japonesa. Se crea a partir de una estructura metálica en la que se reciben 2 o 3 pantallas. El cierre inferior y anillo superior están disponibles en acabado nogal natural o pintado en negro mate, y da soporte al difusor de vidrio soplado texturado, que presenta un acabado blanco mate opal. Los vidrios están disponibles en tres tamaños (15, 25 y 35) y permiten realizar múltiples composiciones con dos o tres difusores de vidrio. Cable textil negro.


Japanisch inspirierte horizontale Pendelleuchte. Der Ausgangspunkt ist eine Metallstruktur mit 2 oder 3 Schirmen. Der untere Abschluss und obere Ring sind erhältlich in den Ausführungen Natur-Nussbaum oder mattschwarz lackiert und halten den Diffusor aus mundgeblasenem, strukturiertem Glas mit mattweißer, opalisierter Oberfläche. Die Gläser sind in drei Größen (15, 25 und 35) erhältlich und ermöglichen mehrere Kompositionen mit zwei oder drei Glasdiffusoren. Schwarzes Textilkabel.




MISKO SH 2



MISKO SH 3



* Misko SH allows for different compositions, with two or three diffusers, at the customer's discretion. The S15, S25, and S35 sizes can be combined as desired.



● Black (matte) ● Natural Walnut

756335	MISKO S15 BLACK INFERIOR	LED 10W (E27)
756336	MISKO S25 BLACK INFERIOR	
756337	MISKO S35 BLACK INFERIOR	
756910	MISKO SH2+	
756920	MISKO SH3+	

756333	MISKO S15 WALNUT INFERIOR	LED 10W (E27)
756334	MISKO S25 WALNUT INFERIOR	
756335	MISKO S35 WALNUT INFERIOR	



Ring S

by
ILMIODESIGN

**Decorative
lighting**

lamps

Ring S is a collection of pendant lights made of metal and blown glass with one head (S1), two heads (S2, with multiple arm lengths) or six heads (S6). Ring S6 allows the arms to be installed at different heights in order to give the luminaire the desired volume. Ring's double diffuser emits completely uniform light and illuminates both sides of the ring. Its E14 light source allows the user to freely select the tone of light that best suits their installation space. Finishes: White, black and brass.


Ring S es una colección de suspensiones fabricadas en metal y vidrio soplado, de una cabeza (S1), dos cabezas (S2, con múltiples largos de brazo) o de seis cabezas (S6). Ring S6 permite instalar los brazos a diferentes alturas para dotar a la luminaria del volumen que se desee. El doble difusor de Ring emite una luz totalmente uniforme y da luz a ambos lados del anillo. Su fuente de luz E14 hace posible que el usuario elija libremente el tono de luz que mejor se adapte a su instalación. Acabados: Blanco, negro y latón.

Ring S ist eine Kollektion von Aufhängungen aus Metall und mundgeblasenem Glas, mit einem Kopf (S1), zwei Köpfen (S2, mit mehreren Armlängen) oder sechs Köpfen (S6). Ring S6 ermöglicht die Montage der Arme auf verschiedenen Höhen, um der Leuchte das gewünschte Volumen zu verleihen. Der doppelte Diffusor gibt ein völlig gleichmäßiges Licht ab und beleuchtet beide Seiten des Rings. Die E14-Lichtquelle ermöglicht es dem Benutzer, die für die jeweilige Anwendung am besten geeignete Lichtfarbe frei zu wählen. Ausführungen: Weiß, Schwarz und Messing.








RING S1



RING S6




● Black (matte) ● Brass (matte) ○ White (matte)

765300	RING S1 BLACK	LED 2 x 6W (E14) 230V 50-60Hz
765301	RING S1 BRASS	
765302	RING S1 WHITE	
765303	RING S6 BLACK	LED 12 x 6W (E14) 230V 50-60Hz
765304	RING S6 BRASS	
765305	RING S6 WHITE	





RING S2 110/130/150



- Black (matte) ● Brass (matte) ○ White (matte)

765306	RING S2 110 BLACK	LED 4 x 6W (E14) 230V 50-60Hz
765307	RING S2 110 BRASS	
765308	RING S2 110 WHITE	
765309	RING S2 130 BLACK	LED 4 x 6W (E14) 230V 50-60Hz
765310	RING S2 130 BRASS	
765311	RING S2 130 WHITE	
765312	RING S2 150 BLACK	LED 4 x 6W (E14) 230V 50-60Hz
765313	RING S2 150 BRASS	
765314	RING S2 150 WHITE	



Ring F

by
ILMIODESIGN


Decorative
lighting lamps

Ring F is a floor light manufactured in metal and blown glass. Its double diffuser emits completely uniform light and illuminates both sides of the ring. Its E14 light source allows the user to freely select the tone of light that best suits their installation space. Finishes: White, black and brass/black.

Ring F es una luminaria de pie fabricada en metal y vidrio soplado. Su doble difusor emite una luz totalmente uniforme y da luz a ambos lados del anillo. Su fuente de luz E14 hace posible que el usuario elija libremente el tono de luz que mejor se adapte a su instalación. Acabados: Blanco, negro y latón/negro.

Ring F ist eine Stehleuchte aus Metall und geblasenem Glas. Ihr doppelter Diffusor gibt ein völlig gleichmäßiges Licht ab und beleuchtet beide Seiten des Rings. Die E14-Lichtquelle ermöglicht es dem Benutzer, die für die jeweilige Anwendung am besten geeignete Lichtfarbe frei zu wählen. Ausführungen: Weiß, Schwarz und Messing/Schwarz.

RING F



- Black (matte) ○ White (matte) ● Brass (matte)

765200	RING F BLACK	LED 2 x 6W (E14)
765201	RING F BRASS	
765202	RING F WHITE	



Ring T

by
ILMIODESIGN

Decorative
lighting

Table
lamps




Ring T is a table lamp made of metal and blown glass. Its double diffuser emits completely uniform light and illuminates both sides of the ring. Its E14 light source allows the user to freely select the tone of light that best suits their installation space. Finishes: White, black and brass/black.

Ring T es una luminaria de mesa fabricada en metal y vidrio soplado. Su doble difusor emite una luz totalmente uniforme y da luz a ambos lados del anillo. Su fuente de luz E14 hace posible que el usuario elija libremente el tono de luz que mejor se adapte a su instalación. Acabados: Blanco, negro y latón/negro.

Ring T ist eine Tischleuchte aus Metall und geblasenem Glas. Ihr doppelter Diffusor gibt ein völlig gleichmäßiges Licht ab und beleuchtet beide Seiten des Rings. Die E14-Lichtquelle ermöglicht es dem Benutzer, die für die jeweilige Anwendung am besten geeignete Lichtfarbe frei zu wählen. Ausführungen: Weiß, Schwarz und Messing/Schwarz.



RING T



- Black (matte)
- White (matte)
- Brass (matte)

765000	RING T BLACK	LED 2 x 6 W (E14)
765001	RING T BRASS	
765002	RING T WHITE	

Ring C

by
ILMIODESIGN

Decorative
lighting
lamps


Ring C is a ceiling light manufactured in metal and blown glass. Its diffuser emits fully uniform light and also creates a gentle perimeter glow around the luminaire. Its E27 light source allows the user to freely select the tone of light that best suits their installation space. Finishes: White, black and brass. Option of colour customisation.

Ring C es un plafón fabricado en metal y vidrio soplado. Su difusor emite una luz totalmente uniforme y crea además un suave resplandor perimetral que rodea la luminaria. Su fuente de luz E27 hace posible que el usuario elija libremente el tono de luz que mejor se adapte a su instalación. Acabados: Blanco, negro y latón. Posibilidad de customizar colores.

Ring C ist eine Deckenleuchte aus Metall und geblasenem Glas. Ihr Diffusor gibt ein völlig gleichmäßiges Licht ab und erzeugt außerdem einen weichen Lichtschein um die Leuchte herum. Die E27-Lichtquelle ermöglicht es dem Benutzer, die für die jeweilige Anwendung am besten geeignete Lichtfarbe frei zu wählen. Ausführungen: Weiß, Schwarz und Messing. Möglichkeit der individuellen Farbgestaltung.



RING C45



 Black (matte)	 Brass (matte)	 White (matte)
 Mustard (matte) RAL 1012	 Rose (matte) RAL 3015	 Forest (matte) RAL 6035
 Lemon (matte) RAL 1018	 Red (matte) RAL 3020	 Khaki (matte) RAL 7008
 Mango (matte) RAL 1034	 Aqua (matte) RAL 5024	 Silex (matte) RAL 7032
 Pearl (matte) RAL 1035	 River (matte) RAL 5017	 Concret (matte) RAL 7033
 Orange (matte) RAL 2013	 Horizon (matte) RAL 5023	 Limestone (matte) RAL 7035
 Burgundy (matte) RAL 3011	 Turquoise (matte) RAL 6034	 Grey (matte) RAL 7037
		 Brown (matte) RAL 8025
		 Snow (matte) RAL 9003
		 Terracotta (matte)

Check out your colour at
www.bluxlighting.com

765400	RING C45 BLACK	LED 2 x 10W (E27)
765401	RING C45 BRASS	
765402	RING C45 WHITE	
765405+C	RING C45 +	LED 2 x 10W (E27)

*+C: select colour



Ring W

by
ILMIODESIGN

Decorative
lighting

Wall
lamps


Ring W is a wall light made of metal and blown glass. Its diffuser emits fully uniform light and also creates a gentle perimeter glow around the luminaire. Its E14 light source allows the user to freely select the tone of light that best suits their installation space. Finishes: White, black and brass. Option of colour customisation. The Ring Number option allows us to add numbers to the luminaire. This solution is focused on the hospitality market.

Ring W es un aplique fabricado en metal y vidro soplado. Su difusor emite una luz totalmente uniforme y crea además un suave resplandor perimetral que rodea la luminaria. Su fuente de luz E14, hace posible que el usuario elija libremente el tono de luz que mejor se adapte a su instalación. Acabados: Blanco, negro y latón. Posibilidad de customizar en colores. También está disponible la opción Ring Number, orientada al sector hotelero, que permite personalizar la luminaria con números.


Ring W ist eine Wandleuchte aus Metall und geblasenem Glas. Ihr Diffusor gibt ein völlig gleichmäßiges Licht ab und erzeugt außerdem einen weichen Lichtschein um die Leuchte herum. Die E14-Lichtquelle ermöglicht es dem Benutzer, die für die jeweilige Anwendung am besten geeignete Lichtfarbe frei zu wählen. Ausführungen: Weiß, Schwarz und Messing. Möglichkeit der individuellen Farbgestaltung. Auch erhältlich in der Variante Option Ring Number für den Hotelsektor, welche die Personalisierung der Leuchte mit Nummern ermöglicht.



RING W1



RING W1 NUMBER



- Black (matte)

○ White (matte)

● Brass (matte)
- Mustard (matte) RAL 1012

● Rose (matte) RAL 3015

● Forest (matte) RAL 6035

● Brown (matte) RAL 8025

● Lemon (matte) RAL 1018

● Red (matte) RAL 3020

● Khaki (matte) RAL 7008

○ Snow (matte) RAL 9003

● Mango (matte) RAL 1034

● Aqua (matte) RAL 5024

● Silex (matte) RAL 7032

● Terracotta (matte)

● Pearl (matte) RAL 1035

● River (matte) RAL 5017

● Concret (matte) RAL 7033

● Orange (matte) RAL 2013

● Horizon (matte) RAL 5023

● Limestone (matte) RAL 7035

● Burgundy (matte) RAL 3011

● Turquoise (matte) RAL 6034

● Grey (matte) RAL 7037

Check out your colour at
www.bluxlighting.com

765100	RING W1 BLACK	LED 2 x 6W (E14) 230V 50-60Hz
765101	RING W1 BRASS	
765102	RING W1 WHITE	
765106+C	RING W1+	
765150+C	RING W1 NUMBER	LED 2 x 6W (E14) 230V 50-60Hz



Slim Skin S

by
AIA Salazar-Navarro

**Decorative
lighting**

lamps

Slim Skin S is a collection of pendant luminaires that are installed horizontally (SH) or vertically (SV), available in two sizes (700 and 1400). It is manufactured in glass, polycarbonate and metal mesh. Its lighting cylinder is available in an opal finish (opal PMMA material) or transparent finish (striated glass). Its metal mesh overlay is available in a brass or black finish. This mesh generates a moiré effect, thereby preventing any glare and offering great visual comfort.


Slim Skin S es una colección de luminarias de suspensión de instalación horizontal (SH) o vertical (SV), disponible en dos tamaños (700 y 1400). Está fabricada en vidrio, policarbonato y malla metálica. Su cilindro lumínico está disponible en los acabados opal (material PMMA opalino) y transparente (cristal estriado). Su revestimiento de malla metálica está disponible en los acabados latón o negro. Esta malla genera un efecto moaré, evitando así cualquier deslumbramiento y transmitiendo un gran confort visual.

Slim Skin S ist eine in zwei Größen (700 und 1400) erhältliche Kollektion von Pendelleuchten für die horizontale (SH) oder vertikale (SV) Montage. Sie besteht aus Glas, Polycarbonat und Metallmaschen. Der Lichtzylinder ist in den Ausführungen opal (opalines PMMA-Material) und transparent (geriffeltes Glas) erhältlich. Die Verkleidung aus Metallmaschen ist in Messing oder schwarzer Ausführung erhältlich. Diese Maschen erzeugen einen Moiré-Effekt, der Blendung verhindert und für hohen Sehtkomfort sorgt.






SLIM SKIN SH 700



SLIM SKIN SH 1400



- Black (matte) ● Brass (matte) ○ Opal PMMA ☉ Groove Glass


769300	SLIM SKIN SH700 OPAL BLACK	LED 21W 3975lm 500mA 2700K CRI≥90 230V DIM PUSH/DALI
769302	SLIM SKIN SH700 OPAL BRASS	
769320	SLIM SKIN SH700 GROOVE BLACK	
769322	SLIM SKIN SH700 GROOVE BRASS	

769310	SLIM SKIN SH1400 OPAL BLACK	LED 42W 7950lm 1050mA 2700K CRI≥90 230V DIM PUSH/DALI
769312	SLIM SKIN SH1400 OPAL BRASS	
769330	SLIM SKIN SH1400 GROOVE BLACK	
769332	SLIM SKIN SH1400 GROOVE BRASS	






SLIM SKIN SV 700



SLIM SKIN SV 1400



- Black (matte) ● Brass (matte) ○ Opal PMMA ☉ Groove Glass

769350	SLIM SKIN SV700 OPAL BLACK	LED 21W 3975lm 500mA 2700K CRI≥90 230V DIM PUSH/DALI
769352	SLIM SKIN SV700 OPAL BRASS	
769370	SLIM SKIN SV700 GROOVE BLACK	
769372	SLIM SKIN SV700 GROOVE BRASS	

769360	SLIM SKIN SV1400 OPAL BLACK	LED 42W 7950lm 1050mA 2700K CRI≥90 230V DIM PUSH/DALI
769362	SLIM SKIN SV1400 OPAL BRASS	
769380	SLIM SKIN SV1400 GROOVE BLACK	
769382	SLIM SKIN SV1400 GROOVE BRASS	



Slim Skin F

by
AIA Salazar-Navarro

Decorative
lighting



Floor
lamps

Slim Skin F is a floor light manufactured in glass, opal polycarbonate and metal mesh. Its lighting cylinder is available in an opal finish (opal PMMA material) or transparent finish (striated glass). Its metal mesh overlay is available in a brass or black finish. This mesh generates a moiré effect, thereby preventing any glare and offering great visual comfort.

Slim Skin F es una luminaria de suelo fabricada en vidrio, policarbonato opal y malla metálica. Su cilindro lumínico está disponible en los acabados opal (material PMMA opalino) y transparente (cristal estriado). Su revestimiento de malla metálica está disponible en los acabados latón o negro. Esta malla genera un efecto muaré, evitando así cualquier deslumbramiento y transmitiendo un gran confort visual.

Slim Skin F ist eine Stehleuchte aus Glas, opalem Polycarbonat und Metallgeflecht. Der Lichtzylinder ist in den Ausführungen opal (opalines PMMA-Material) und transparent (geriffeltes Glas) erhältlich. Die Verkleidung aus Metallmaschen ist in Messing oder schwarzer Ausführung erhältlich. Diese Maschen erzeugen einen Moiré-Effekt, der Blendung verhindert und für hohen Sehkomfort sorgt.

SLIM SKIN F



- Black (matte)
- Brass (matte)
- Opal PMMA
- Groove Glass

769210	SLIM SKIN F OPAL BLACK	LED 21W 3975lm 500mA 2700K CRI≥90 230V DIM PUSH/DALI
769212	SLIM SKIN F OPAL BRASS	
769230	SLIM SKIN F GROOVE BLACK	
769232	SLIM SKIN F GROOVE BRASS	



Slim Skin W

by
AIA Salazar-Navarro

Decorative
lighting

Wall
lamps

Slim Skin W is a wall light available in two sizes (700 and 1400) and manufactured in glass, opal polycarbonate and metal mesh. Its lighting cylinder is available in an opal finish (opal PMMA material) or transparent finish (striated glass). Its metal mesh overlay is available in a brass or black finish. This mesh generates a moiré effect, thereby preventing any glare and offering great visual comfort.


Slim Skin W es un aplique disponible en dos tamaños (700 y 1400) fabricado en vidrio, policarbonato opal y malla metálica. Su cilindro lumínico está disponible en los acabados opal (material PMMA opalino) y transparente (cristal estriado). Su revestimiento de malla metálica está disponible en los acabados latón o negro. Esta malla genera un efecto muaré, evitando así cualquier deslumbramiento y transmitiendo un gran confort visual.

Slim Skin W ist eine in zwei Größen (700 und 1400) erhältliche Wandleuchte aus Glas, opalinem Polycarbonat und Metallmaschen. Der Lichtzylinder ist in den Ausführungen opal (opalines PMMA-Material) und transparent (geriffeltes Glas) erhältlich. Die Verkleidung aus Metallmaschen ist in Messing oder schwarzer Ausführung erhältlich. Diese Maschen erzeugen einen Moiré-Effekt, der Blendung verhindert und für hohen Sehkomfort sorgt.






SLIM SKIN W700



SLIM SKIN W1400



- Black (matte) ● Brass (matte) ○ Opal PMMA ◻ Groove Glass

769100	SLIM SKIN W700 OPAL BLACK	LED 21W 3975lm 500mA 2700K CRI≥90 230V DIM PUSH/DALI
769102	SLIM SKIN W700 OPAL BRASS	
769120	SLIM SKIN W700 GROOVE BLACK	
769122	SLIM SKIN W700 GROOVE BRASS	

769110	SLIM SKIN W1400 OPAL BLACK	LED 42W 7950lm 1050mA 2700K CRI≥90 230V DIM PUSH/DALI
769112	SLIM SKIN W1400 OPAL BRASS	
769130	SLIM SKIN W1400 GROOVE BLACK	
769132	SLIM SKIN W1400 GROOVE BRASS	



Decorative systems



Crosshatch System

by
Brad Ascalon

**Decorative
lighting**

Lighting
systems

Three-dimensional LED lighting system based on an aluminium profile, with lengths determined by the user, single or double cross-pieces and a light source made of blown glass. The combination of components allows for easy adaptation of the structure (the entire system is pre-wired) to the installation space. The light source, with a very low profile, comes with pre-wired quick terminals, enabling the entire structure to be powered through a single connection. Finished in textured matte black and matte opal white glass.


Sistema de iluminación LED tridimensional basado en un perfil de aluminio de longitudes a determinar por el usuario, cruceta simple, cruceta doble y fuente de luz fabricada en vidrio soplado. La combinación de los componentes permite al usuario adecuar la estructura de una forma sencilla (todo el sistema va precableado) al espacio donde se precise instalarlo. La fuente de luz, de altura muy contenida, está dotada de clemas rápidas precableadas, lo que permite dar corriente a toda la estructura a través de un único punto de corriente. Acabado en negro mate texturizado y cristal blanco opal mate.

Dreidimensionales LED-Beleuchtungssystem basierend auf einem Aluminiumprofil mit benutzerdefinierter Länge, einfachem Kreuzgelenk, doppeltem Kreuzgelenk und Lichtquelle aus geblasenem Glas. Die Kombination der Komponenten erleichtert dem Benutzer die Anpassung der Struktur (das gesamte System ist verkabelt) an den Raum, in dem es installiert werden soll. Die sehr niedrige Lichtquelle ist mit verkabelten Schnellklemmen ausgestattet, sodass die gesamte Struktur über eine einzige Steckdose mit Strom versorgt werden kann. Ausführung mit strukturierter mattschwarzer Oberfläche und opalisiertem mattweißem Glas.




Crosshatch System


SINGLE CROSS





DOUBLE CROSS



TUBE END CROSS






END CAP




LINEAR UNION

90° UNION C/W







SHELF



LIGHT SOURCE





● Black (matte)



767960	CROSSHATCH SYSTEM LIGHT SOURCE	LED 16W 1800lm 2700K CRI≥90 230V DIM PHASE CUT
767910	CROSSHATCH SYSTEM SINGLE SUSPENSION	
767504	CROSSHATCH SYSTEM TUBE END CROSS	
767920	CROSSHATCH SYSTEM END CAP	
767930	CROSSHATCH SYSTEM SINGLE CROSS	
767940	CROSSHATCH SYSTEM DOUBLE CROSS	
767950	CROSSHATCH SYSTEM 90° UNION C/W	
767900	CROSSHATCH SYSTEM CURRENT SUPPLY	
767970	CROSSHATCH SYSTEM LINEAR UNION	
767800	CROSSHATCH SYSTEM TUBE SUPPORT ACCESSORY	
767980	CROSSHATCH SYSTEM SHELF	



CROSSHATCH SYSTEM INSTALLATION EXAMPLES



CROSSHATCH SYSTEM INSTALLATION EXAMPLES



Kupetz

by
E27 Tim Brauns

**Decorative
lighting**

Lighting
systems

3D light system made with different light sources and unions, and its arrangement allows you to adjust the lighting to each space. This is a metal tubular system in matte black where you can combine five types of light sources: a spotlight with an opal diffuser (Diffuser) and four glass spheres, two with an opal white finish and the other two with a smoked finish; both finishes are available in two sizes (100 Glass and 150 Glass). These spotlights and the base of the glass spheres come in three different finishes: black, copper and gold.


Sistema de iluminación tridimensional compuesto por diferentes fuentes de luz y uniones, cuya composición permite adecuar la iluminación a las necesidades de cada espacio. Se trata de un sistema tubular metálico en acabado negro mate, que permite combinar cinco tipos de fuente de luz: un proyector con difusor opal (Diffuser) y cuatro esferas de vidrio, dos de ellas en blanco opal y las otras dos en acabado ahumado, ambas disponibles en dos tamaños (100 Glass y 150 Glass). Estos proyectores y la base de las esferas de vidrio están disponibles en tres acabados: negro, cobre, y oro.

Dreidimensionales Leuchtsystem, bestehend aus verschiedenen Lichtquellen und Verbindungen, deren Komposition zulässt, die Beleuchtung an die Bedürfnisse jedes Raums anzupassen. Es handelt sich um ein Röhrensystem aus Metall in mattschwarzer Ausführung, in dem fünf Arten von Lichtquellen kombiniert werden können: ein Projektor mit opalfarbenem Diffusor (Diffuser) und vier Glaskugeln, zwei in opalweißer Ausführung und die anderen zwei in rauchiger Ausführung; beide Ausführungen sind in zwei Größen erhältlich (100 Glass und 150 Glass). Diese Projektoren und die Basis der Glaskugeln sind in drei Ausführungen verfügbar: Schwarz, Kupfer und Gold.







KUPETZ 100 GLASS/SMOKE




KUPETZ 150 GLASS/SMOKE




KUPETZ DIFFUSER




KUPETZ T




KUPETZ T SH




KUPETZ T SV




KUPETZ T POWER SUPPLY




KUPETZ X




KUPETZ XS




KUPETZ XS POWER SUPPLY




KUPETZ XH POWER SUPPLY




KUPETZ S POWER SUPPLY




KUPETZ SINGLE SUSPENSION



KUPETZ LINEAR UNION



KUPETZ EN CAP




Black (matte) Gold (satin) Copper (satin)

760300	KUPETZ 100 GLASS BLACK	LED 8W 560lm
760301	KUPETZ 100 GLASS GOLD	2700K CRI≥90 230V
760302	KUPETZ 100 GLASS COPPER	DIM PHASE CUT
760310	KUPETZ 150 GLASS BLACK	LED 8W 560lm
760311	KUPETZ 150 GLASS GOLD	2700K CRI≥90 230V
760312	KUPETZ 150 GLASS COPPER	DIM PHASE CUT
760303	KUPETZ 100 SMOKE GLASS BLACK	LED 8W 560lm
760304	KUPETZ 100 SMOKE GLASS GOLD	2700K CRI≥90 230V
760305	KUPETZ 100 SMOKE GLASS COPPER	DIM PHASE CUT
760313	KUPETZ 150 SMOKE GLASS BLACK	LED 8W 560lm
760314	KUPETZ 150 SMOKE GLASS GOLD	2700K CRI≥90 230V
760315	KUPETZ 150 SMOKE GLASS COPPER	DIM PHASE CUT
760330	KUPETZ DIFFUSER BLACK	LED 8W 560lm
760331	KUPETZ DIFFUSER GOLD	2700K CRI≥90 230V
760332	KUPETZ DIFUSSER COPPER	DIM PHASE CUT
760970	KUPETZ END CAP	


760911	KUPETZ T
760900	KUPETZ T SH
760910	KUPETZ T SV
760905	KUPETZ T POWER SUPPLY
760921	KUPETZ X
760920	KUPETZ XS
760925	KUPETZ XS POWER SUPPLY
760926	KUPETZ XH POWER SUPPLY
760980	KUPETZ S POWER SUPPLY
760915	KUPETZ SINGLE SUSPENSION
760950	KUPETZ LINEAR UNION 15
760951	KUPETZ LINEAR UNION 40
760952	KUPETZ LINEAR UNION 60
760953	KUPETZ LINEAR UNION 85
760954	KUPETZ LINEAR UNION 105




KUPETZ INSTALLATION EXAMPLES



KUPETZ INSTALLATION EXAMPLES



KUPETZ INSTALLATION EXAMPLES



Architectural lighting



Anvil Spot S Shade Accessory

by
David Abad

Architectural
lighting


A collection of projectors made of aluminium, with direct lighting and LED bulbs. It is available in a wide range of RAL finishes.

Colección de proyectores fabricados en aluminio, de iluminación directa y lámparas LED. Está disponible en una amplia paleta de acabados RAL.

Richtstrahlersortiment aus Aluminium für direkte Beleuchtung und LED-Leuchten. Ist in einer Vielzahl von RAL-Farben erhältlich.



ANVIL SPOT S SHADE ACCESSORY



Mustard (matte) RAL 1012	Rose (matte) RAL 3015	Forest (matte) RAL 6035	Brown (matte) RAL 8025
Lemon (matte) RAL 1018	Red (matte) RAL 3020	Khaki (matte) RAL 7008	Snow (matte) RAL 9003
Mango (matte) RAL 1034	Aqua (matte) RAL 5024	Silex (matte) RAL 7032	Terracotta (matte)
Pearl (matte) RAL 1035	River (matte) RAL 5017	Concret (matte) RAL 7033	Black (matte)
Orange (matte) RAL 2013	Horizon (matte) RAL 5023	Limestone (matte) RAL 7035	White (matte)
Burgundy (matte) RAL 3011	Turquoise (matte) RAL 6034	Grey (matte) RAL 7037	Brass (matte)

851795U ANVIL SPOT S SHADE ACCESSORY BRASS
851796U ANVIL SPOT S SHADE ACCESSORY WHITE
851797U ANVIL SPOT S SHADE ACCESSORY BLACK
851794+CU ANVIL SPOT S SHADE ACCESSORY+



Check out your colour at
www.bluxlighting.com

BIMU

by
Carrasquet


Architectural
lighting

BIMU is a simple three-dimensional linear lighting system based on linear components measuring 1000, 1500 and 2000 mm in length and 20 mm in diameter. The linear components are interlinked via a system of fast-connection jacks that allows the light source to be freely rotated on its axis. In addition, the system allows the luminaire to be installed in a stepped format at different heights and angles (its small ears mean the angles are absorbed very naturally). Finishes: Matte black, matte white and black orange.

BIMU es un sencillo sistema de iluminación lineal tridimensional basado en elementos lineales de 1000, 1500 y 2000mm de longitud y 20 mm de diámetro. Los elementos lineales se enlazan a través de un sistema de jacks de conexión rápida que permiten girar libremente la fuente de luz sobre su eje. Además, el sistema permite instalar la luminaria de forma escalonada a diferentes alturas y ángulos (sus pequeñas orejas hacen que los ángulos se absorban de forma muy natural). Acabados: Negro mate, blanco mate y negro naranja.


BIMU ist ein einfaches dreidimensionales lineares Beleuchtungssystem bestehend aus linearen Elementen von 1000, 1500 und 2000 mm Länge und 20 mm Durchmesser. Die linearen Elemente sind durch ein System von Schnellkupplungen verbunden, die eine freie Drehung der Lichtquelle um ihre Achse ermöglichen. Darüber hinaus ermöglicht das System eine gestaffelte Installation der Leuchte in verschiedenen Höhen und Winkeln (die kleinen Ohren ermöglichen eine sehr natürliche Aufnahme der Winkel). Ausführungen: Mattschwarz, Mattweiß und Orange-Schwarz.






BIMU

BIMU S UNI




- Black (matte) ● Black-Orange (matte) ○ White (matte)

773100	BIMU S100 UNI BLACK	LED 15W 1679lm 24V 2700K CRI≥90
773101	BIMU S100 UNI BLACK ORANGE	
773102	BIMU S100 UNI WHITE	
773110	BIMU S150 UNI BLACK	LED 22,5W 2518.5lm 24V 2700K CRI≥90
773111	BIMU S150 UNI BLACK ORANGE	
773112	BIMU S150 UNI WHITE	
773120	BIMU S200 UNI BLACK	LED 30W 3358lm 24V 2700K CRI≥90
773121	BIMU S200 UNI BLACK ORANGE	
773122	BIMU S200 UNI WHITE	




BIMU S DEP




773200	BIMU S100 DEP BLACK	LED 15W 1679lm 24V 2700K CRI≥90
773201	BIMU S100 DEP BLACK ORANGE	
773202	BIMU S100 DEP WHITE	
773210	BIMU S150 DEP BLACK	LED 22,5W 2518.5lm 24V 2700K CRI≥90
773211	BIMU S150 DEP BLACK ORANGE	
773212	BIMU S150 DEP WHITE	
773220	BIMU S200 DEP BLACK	LED 30W 3358lm 24V 2700K CRI≥90
773221	BIMU S200 DEP BLACK ORANGE	
773222	BIMU S200 DEP WHITE	

BIMU S ELE



773300	BIMU S100 ELE BLACK	LED 15W 1679lm 24V 2700K CRI≥90
773301	BIMU S100 ELE BLACK ORANGE	
773302	BIMU S100 ELE WHITE	
773310	BIMU S150 ELE BLACK	LED 22,5W 2518.5lm 24V 2700K CRI≥90
773311	BIMU S150 ELE BLACK ORANGE	
773312	BIMU S150 ELE WHITE	
773320	BIMU S200 ELE BLACK	LED 30W 3358lm 24V 2700K CRI≥90
773321	BIMU S200 ELE BLACK ORANGE	
773322	BIMU S200 ELE WHITE	







BIMU SINGLE CANOPY




BIMU INDIVUAL HOOK



BIMU MULTIPLE CANOPY



BIMU DOUBLE HOOK





773900	BIMU SINGLE CANOPY SURFACE BLACK	75W 230V
773900D	BIMU SINGLE CANOPY SURFACE BLACK DIM	75W 230V PUSH/DALI/1-10V
773902	BIMU SINGLE CANOPY SURFACE WHITE	75W 230V
773902D	BIMU SINGLE CANOPY SURFACE WHITE DIM	75W 230V PUSH/DALI/1-10V
773950	BIMU MULTIPLE CANOPY SURFACE BLACK	200W 230V
773950D	BIMU MULTIPLE CANOPY SURFACE BLACK DIM	200W 230V PUSH/1-10V
773952	BIMU MULTIPLE CANOPY SURFACE WHITE	200W 230V
773952D	BIMU MULTIPLE CANOPY SURFACE WHITE DIM	200W 230V PUSH/1-10V

773980	BIMU INDIVUAL HOOK
773990	BIMU DOUBLE HOOK





INSTALLATION EXAMPLES






INSTALLATION EXAMPLES







INSTALLATION EXAMPLES



INSTALLATION EXAMPLES



BIMU SV

by
Carrasquet

**Architectural
lighting**

BIMU SV is a linear suspended luminaire, adjustable in height from floor to ceiling via a simple cable system on which it slides. The ceiling attachment includes a metal retainer, while the base on the floor rests by gravity on this retainer.

The luminaire allows for the installation of its canopy for power supply from the ceiling or floor. Small tabs ensure that the power and mechanical cables enter the profile very naturally. Finishes: Matte black, matte white and matte black-orange.

BIMU SV es una luminaria lineal de suspensión suelo-techo regulable en altura a través de un sencillo sistema de cable sobre el que se desliza la luminaria. La fijación a techo cuenta con un retenedor metálico y la base a suelo simplemente se apoya por gravedad sobre este.

La luminaria permite instalar su florón para alimentar desde techo o desde suelo. Las pequeñas orejas hacen que las entradas de cable de corriente y cable mecánico entren al perfil de forma muy natural. Acabados: Negro mate, blanco mate y negro naranja.



BIMU SV ist eine lineare Boden-Decken-Pendelleuchte mit einem einfachen Kabelsystem, an dem die Leuchte nach oben oder unten geschoben werden kann. An der Decke ist sie mit einer Metallhalterung befestigt und die Basis steht einfach schwerkraftbedingt auf dem Boden.

Der Fleuron zur Stromversorgung der Leuchte kann an der Decke oder am Boden installiert werden. Die kleinen Ohröffnungen ermöglichen eine natürliche Einführung der Stromleitung und des mechanischen Kabels in das Profil. Ausführungen: Mattschwarz, Mattweiß und Orange-Schwarz.





BIMU SV



- Black (matte) ● Black-Orange (matte) ○ White (matte)

773600	BIMU SV100 BLACK	LED 15W 1679lm 2700K CRI≥90 230V
773601	BIMU SV100 BLACK ORANGE	
773602	BIMU SV100 WHITE	
773610	BIMU SV150 BLACK	LED 22,5W 2518.5lm 2700K CRI≥90 230V
773611	BIMU SV150 BLACK ORANGE	
773612	BIMU SV150 WHITE	
773960	BIMU SV PLUG-IN ACCESSORY	



Blokinline

Architectural lighting

Blokinline is an architectural lighting system based on an electrified, compact track (dimmable to 48 V). It enables individual components with high luminous flux to be incorporated and positioned freely along the track's length. The system is available in both a surface version and a pendant version, with the track always in a black finish.

The Blokinline light sources are comprised of opal glass spheres (100/150 mm), projectors, multiple direct light modules with 2 or 4 spotlights and reflectors with varying angles of aperture (38°/60°) and attached, suspended or pivotable linear lighting components. Light sources are available in brass, black and white finishes.

The mobile track system enables the creation of endless diverse compositions, and angles of 90° and 180° either horizontally or vertically, can also be added. It also has angles with radii of 300 or 500 mm available, enabling curved forms to be created.

Blokinline es un sistema de iluminación arquitectural basado en un carril electrificado de tamaño compacto, regulable a 48V. Permite incorporar elementos individuales de alto flujo lumínico que pueden posicionarse de forma libre a lo largo del carril. El sistema está disponible tanto en versión superficie como en suspensión, con el carril siempre en acabado negro.

Las fuentes de luz de Blokinline se componen de esferas de vidrio opal (100/150 mm), proyectores, módulos múltiples de luz directa de 2 y 4 spots con reflectores de diferentes ángulos de apertura (38°/60°) y elementos de luz lineal adosados, suspendidos u orientables. Las fuentes de luz están disponibles en los acabados latón, negro y blanco.

El sistema de carriles móviles posibilita realizar composiciones variadas e infinitas, añadiendo incluso ángulos de 90° y 180° en horizontal o vertical. A su vez, dispone de ángulos con radios de 300 o 500 mm que permiten crear formas curvas.

Blokinline ist ein architektonisches Beleuchtungssystem auf einer kompakten, dimmbaren 48-V-Stromschiene. Es erlaubt die Integration einzelner Elemente mit hoher Lichtintensität, die entlang der Schiene frei positioniert werden können. Das System ist sowohl als Aufputz- als auch Pendelversion erhältlich, wobei die Schiene immer in schwarzer Farbe ausgeführt ist.


Die Lichtquellen von Blokinline umfassen Opalgaskugeln (100/150 mm), Strahler, Direktlichtmodule mit 2 und 4 Lichtpunkten und Reflektoren unterschiedlicher Öffnungswinkel (38°/60°) sowie steckbare, hängende oder ausrichtbare lineare Lichtelemente. Die Lichtquellen sind in den Ausführungen Messing, Schwarz und Weiß erhältlich.

Das bewegliche Schienensystem ermöglicht verschiedenartige Kompositionen, Endlossysteme und sogar die Installation mit horizontalen oder vertikalen 90°- und 180°-Winkeln. Dank der Winkelradien von 300 oder 500 mm können auch gebogene Formen kreiert werden.






BLOKINLINE SYSTEM PROFILE



BLOKINLINE SYSTEM PROFILE R300-R500




● Black (matte)


768930	BLOKINLINE SYSTEM POWER SUPPLY	
768910	BLOKINLINE SYSTEM SURFACE/SUSPENSION PROFILE BLACK (1M)	CANOPY DRIVER (SURFACE CANOPY)
768911	BLOKINLINE SYSTEM SURFACE/SUSPENSION PROFILE BLACK (2M)	
768910C	BLOKINLINE SYSTEM SURFACE/SUSPENSION PROFILE R300 BLACK	CANOPY DRIVER (SURFACE CANOPY)
768911C	BLOKINLINE SYSTEM SURFACE/SUSPENSION PROFILE R500 BLACK	
768996	BLOKINLINE SYSTEM DRIVER ON TRACK 48V 100W DIM PUSH/DALI	CANOPY DRIVER (SEMI-RECESSED CANOPY)
768998	BLOKINLINE SYSTEM CANOPY/DRIVER 48V 100W ON-OFF	
768998D	BLOKINLINE SYSTEM CANOPY/DRIVER 48V 100W DIM	CANOPY DRIVER (SEMI-RECESSED CANOPY)
768994	BLOKINLINE SYSTEM CANOPY SR / DRIVER 48V 100W ON-OFF	
768995	BLOKINLINE SYSTEM CANOPY SR / DRIVER 48V 100W DIM	CANOPY DRIVER (SEMI-RECESSED CANOPY)
768999	BLOKINLINE SYSTEM DRIVER 48V 100W ON-OFF	
768999D	BLOKINLINE SYSTEM DRIVER 48V 100W DIM	
768997	BLOKINLINE WIRE HOOK	



BLOKINLINE SYSTEM 90° H UNION




BLOKINLINE SYSTEM 90° V UNION




● Black (matte)

768960	BLOKINLINE SYSTEM 90° H UNION
768970	BLOKINLINE SYSTEM 90° V UNION

BLOKINLINE SYSTEM 180° UNION




BLOKINLINE SYSTEM END CAP



BLOKINLINE SYSTEM SINGLE SUSPENSION




768980	BLOKINLINE SYSTEM 180° UNION
768940	BLOKINLINE END CAP
768990	BLOKINLINE SINGLE SUSPENSION




LIGHT SOURCES

BLOKINLINE SYSTEM MODULE 2



BLOKINLINE SYSTEM MODULE 4



● Black (matte) ● Brass (matte) ○ White (matte)


768500	BLOKINLINE SYSTEM MODULE 2 38° BLACK	LED 2 x 3W 790lm 175mA 2700K CRI≥90 48V
768501	BLOKINLINE SYSTEM MODULE 2 38° WHITE	
768502	BLOKINLINE SYSTEM MODULE 2 38° BRASS	
768510	BLOKINLINE SYSTEM MODULE 2 60° BLACK	
768511	BLOKINLINE SYSTEM MODULE 2 60° WHITE	
768512	BLOKINLINE SYSTEM MODULE 2 60° BRASS	
* 3000K and 4000K available under request		
768600	BLOKINLINE SYSTEM MODULE 4 38° BLACK	LED 4 x 3W 1580lm 175mA 2700K CRI≥90 48V
768601	BLOKINLINE SYSTEM MODULE 4 38° WHITE	
768602	BLOKINLINE SYSTEM MODULE 4 38° BRASS	
768610	BLOKINLINE SYSTEM MODULE 4 60° BLACK	
768611	BLOKINLINE SYSTEM MODULE 4 60° WHITE	
768612	BLOKINLINE SYSTEM MODULE 4 60° BRASS	
* 3000K and 4000K available under request		

Blokinline




LIGHT SOURCES

BLOKINLINE SYSTEM SPOT C



BLOKINLINE SYSTEM SPOT S




● Black (matte) ● Brass (matte) ○ White (matte)


768300	BLOKINLINE SYSTEM SPOT S 38° BLACK	LED 4,5W 546lm 250mA 2700K CRI≥90 48V * 3000K and 4000K available under request
768301	BLOKINLINE SYSTEM SPOT S 38° WHITE	
768302	BLOKINLINE SYSTEM SPOT S 38° BRASS	
768310	BLOKINLINE SYSTEM SPOT S 60° BLACK	
768311	BLOKINLINE SYSTEM SPOT S 60° WHITE	
768312	BLOKINLINE SYSTEM SPOT S 60° BRASS	
768400	BLOKINLINE SYSTEM SPOT C 38° BLACK	LED 4,5W 546lm 250mA 2700K CRI≥90 48V
768401	BLOKINLINE SYSTEM SPOT C 38° WHITE	
768402	BLOKINLINE SYSTEM SPOT C 38° BRASS	
768410	BLOKINLINE SYSTEM SPOT C 60° BLACK	
768411	BLOKINLINE SYSTEM SPOT C 60° WHITE	
768412	BLOKINLINE SYSTEM SPOT C 60° BRASS	

LIGHT SOURCES

BLOKINLINE SYSTEM SPHERE S100/S150



BLOKINLINE SYSTEM SPHERE C100/C150




○ Opal Glass ● Smoke Glass

768110	BLOKINLINE SYSTEM SPHERE S100 OPAL BLACK	LED 4,5W 546lm 250mA 2700K CRI≥90 48V * 3000K and 4000K available under request
768111	BLOKINLINE SYSTEM SPHERE S100 OPAL WHITE	
768150	BLOKINLINE SYSTEM SPHERE S150 OPAL BLACK	
768151	BLOKINLINE SYSTEM SPHERE S150 OPAL WHITE	
768153	BLOKINLINE SYSTEM SPHERE S150 SMOKE	
768210	BLOKINLINE SYSTEM SPHERE C100 OPAL BLACK	
768211	BLOKINLINE SYSTEM SPHERE C100 OPAL WHITE	LED 4,5W 546lm 250mA 2700K CRI≥90 48V * 3000K and 4000K available under request
768250	BLOKINLINE SYSTEM SPHERE C150 OPAL BLACK	
768251	BLOKINLINE SYSTEM SPHERE C150 OPAL WHITE	
768253	BLOKINLINE SYSTEM SPHERE C150 SMOKE	



BLOKINLINE SYSTEM LEDLINE 400




● Black (matte) ● Brass (matte) ○ White (matte)

768700	BLOKINLINE SYSTEM LEDLINE 400 BLACK	LED 8W 1314lm 2700K CRI≥90 48V
768701	BLOKINLINE SYSTEM LEDLINE 400 WHITE	
768702	BLOKINLINE SYSTEM LEDLINE 400 BRASS	


Blokinline




BLOKINLINE LEDLINE 900



BLOKINLINE LEDLINE 1200



BLOKINLINE LEDLINE 1800




- Black (matte) ● Brass (matte) ○ White (matte)


768710	BLOKINLINE LEDLINE 900 BLACK	LED 16W 2600lm 2700K CRI≥90 48V
768711	BLOKINLINE LEDLINE 900 WHITE	
768712	BLOKINLINE LEDLINE 900 BRASS	
768720	BLOKINLINE LEDLINE 1200 BLACK	LED 22W 3762lm 2700K CRI≥90 48V
768721	BLOKINLINE LEDLINE 1200 WHITE	
768722	BLOKINLINE LEDLINE 1200 BRASS	
768730	BLOKINLINE LEDLINE 1800 BLACK	LED 31W 5276lm 2700K CRI≥90 48V
768731	BLOKINLINE LEDLINE 1800 WHITE	
768732	BLOKINLINE LEDLINE 1800 BRASS	




BLOKINLINE LEDLINE S 900



BLOKINLINE LEDLINE S 1200



BLOKINLINE LEDLINE S 1800




- Black (matte) ● Brass (matte) ○ White (matte)

768800	BLOKINLINE LEDLINE S 900 BLACK	LED 16W 2600lm 2700K CRI≥90 48V
768801	BLOKINLINE LEDLINE S 900 WHITE	
768802	BLOKINLINE LEDLINE S 900 BRASS	
768810	BLOKINLINE LEDLINE S 1200 BLACK	LED 22W 3762lm 2700K CRI≥90 48V
768811	BLOKINLINE LEDLINE S 1200 WHITE	
768812	BLOKINLINE LEDLINE S 1200 BRASS	
768820	BLOKINLINE LEDLINE S 1800 BLACK	LED 31W 5276lm 2700K CRI≥90 48V
768821	BLOKINLINE LEDLINE S 1800 WHITE	
768822	BLOKINLINE LEDLINE S 1800 BRASS	






BLOKINLINE SYSTEM DRIVER OPTIONS




Power supply (W)	L1 Distance power supply/unit in meters (4x0,5mm²)			
	1m	3m	5m	10m
	L2 Track lenght /unit in meters (2x1,5mm²) Δv<5,5% (m)			
	(m)	(m)	(m)	(m)
100	25	20	15	2
120	19	15	9	No admitted


OPTION 1 - BLOKINLINE SYSTEM DRIVER ON TRACK 48V 120W ON-OFF DIM DALI




OPTION 2 - BLOKINLINE SYSTEM CANOPY S 48V 120W ON-OF DIM DALI




OPTION 4 - BLOKINLINE SYSTEM CANOPY SR 48V 120W ON-OF DIM DALI




OPTION 3 - BLOKINLINE SYSTEM CANOPY S 48V 120W DIM PUSH




OPTION 5 - BLOKINLINE SYSTEM CANOPY SR 48V 120W DIM PUSH



OPTION 6 - BLOKINLINE SYSTEM REMOTE DRIVER 48V 120W ON-OFF DIM DALI





OPTION 7 - BLOKINLINE SYSTEM REMOTE DRIVER 48V 120W ON-OFF DIM DALI





BLOKINLINE INSTALLATION EXAMPLES





Blokinline Module

Architectural lighting


Collection of recessed direct lighting spotlights made of aluminium. They are equipped with a honeycomb panel to prevent glare without affecting the luminaire's high performance. Available in two sizes (Module 2 and Module 4) and with two types of reflectors (38° and 60°). Finishes: matte white, matte black and brass.

Colección de focos empotrados de iluminación directa fabricados en aluminio. Están dotados de un panel de abeja para evitar el deslumbramiento, sin que esto afecte a su alto rendimiento. Disponibles en dos tamaños (Module 2 y Module 4) y dos tipos de reflectores (38° y 60°). Acabados: blanco mate, negro mate y latón.


Kollektion von Aluminium-Unterputzstrahlern für direkte Beleuchtung. Sie sind mit einer Wabenplatte ausgestattet, um Blendung zu vermeiden, ohne dadurch ihre hohe Leistung zu beeinträchtigen. Erhältlich in zwei Größen (Module 2 und Module 4) und zwei Arten von Reflektoren (38° und 60°). Ausführungen: Mattweiß, Mattschwarz und Messing.



BLOKINLINE MODULE 2 RECESSED



BLOKINLINE MODULE 4 RECESSED



- Black (matte)
- Brass (matte)
- White (matte)

768000	BLOKINLINE MODULE 2 RECESSED 38° BLACK	LED 2 x 4,5W 1092lm 250mA 2700K CRI≥90 230V
768001	BLOKINLINE MODULE 2 RECESSED 38° WHITE	
768002	BLOKINLINE MODULE 2 RECESSED 38° BRASS	
768010	BLOKINLINE MODULE 2 RECESSED 60° BLACK	
768011	BLOKINLINE MODULE 2 RECESSED 60° WHITE	
768012	BLOKINLINE MODULE 2 RECESSED 60° BRASS	
		* 3000K and 4000K available under request

768020	BLOKINLINE MODULE 4 RECESSED 38° BLACK	LED 4 x 4,5W 2184lm 250mA 2700K CRI≥90 230V
768021	BLOKINLINE MODULE 4 RECESSED 38° WHITE	
768022	BLOKINLINE MODULE 4 RECESSED 38° BRASS	
768030	BLOKINLINE MODULE 4 RECESSED 60° BLACK	
768031	BLOKINLINE MODULE 4 RECESSED 60° WHITE	
768032	BLOKINLINE MODULE 4 RECESSED 60° BRASS	
		* 3000K and 4000K available under request



Blokinline LEDtube

Architectural
lighting

Collection of linear luminaires measuring 900, 1200, 1800 and 2400 mm in length and 30 mm in diameter. Their slenderness and the absence of mechanical suspension cables make Blokinline LEDtube a tremendously light luminaire in visual terms, but one which also offers high lighting power. Finishes: matte white, matte black and brass.


Colección de luminarias lineales de 900, 1200, 1800 y 2400mm de longitud y 30mm de diámetro. Su esbeltez y la ausencia de cables mecánicos de suspensión hacen Blokinline LEDtube una luminaria tremendamente ligera visualmente, pero con un alto poder lumínico. Acabados: blanco mate, negro mate, y latón.

Kollektion von linearen Leuchten mit 900, 1200, 1800 und 2400 mm Länge und 30 mm Durchmesser. Dank des schlanken Designs und der Vermeidung mechanischer Aufhängekabel ist Blokinline LEDtube eine optisch extrem leichte Leuchte, die jedoch eine hohe Leuchtkraft aufweist. Ausführungen: Mattweiß, Mattschwarz und Messing.







BLOKINLINE LEDTUBE S 900



BLOKINLINE LEDTUBE S 1200



BLOKINLINE LEDTUBE S 1800




- Black (matte) ● Brass (matte) ○ White (matte)

768800T	BLOKINLINE LEDTUBE S 900 BLACK	LED 20W 2800lm 350mA 2700K CRI≥90 230V DIM PUSH/DALI
768801T	BLOKINLINE LEDTUBE S 900 WHITE	
768802T	BLOKINLINE LEDTUBE S 900 BRASS	
768810T	BLOKINLINE LEDTUBE S 1200 BLACK	LED 22W 3762lm 500mA 2700K CRI≥90 230V DIM PUSH/DALI
768811T	BLOKINLINE LEDTUBE S 1200 WHITE	
768812T	BLOKINLINE LEDTUBE S 1200 BRASS	
768820T	BLOKINLINE LEDTUBE S 1800 BLACK	LED 31W 5278lm 700mA 2700K CRI≥90 230V DIM PUSH/DALI
768821T	BLOKINLINE LEDTUBE S 1800 WHITE	
768822T	BLOKINLINE LEDTUBE S 1800 BRASS	





BLOKINLINE LEDTUBE S 2400



- Black (matte) ● Brass (matte) ○ White (matte)

768830T	BLOKINLINE LEDTUBE 2400 BLACK	LED 46W 787lm 1050mA 2700K CRI≥90 230V DIM PUSH/DALI
768831T	BLOKINLINE LEDTUBE 2400 WHITE	
768832T	BLOKINLINE LEDTUBE 2400 BRASS	



Sis System

by María Güell
& Carrasquet

Architectural
lighting

SIS is a three-dimensional lighting system based on a compact 24 V electrified track (18 mm in diameter). It allows individual, high luminous flux spotlights to be installed and freely positioned along the track's entire length. The system is available in a suspension version.

SIS has different light sources: downlights with lenses in varying angles of aperture (24° 36° and 60°), pivotable projectors (24°, 36° and 60°) and a decorative opal glass spotlight. The system also has a striated glass accessory that adapts to the downlights.

The light sources in the SIS System collection are available in brass, black, grey and white finishes, while the track always comes in black.

SIS es un sistema de iluminación tridimensional basado en un carril electrificado a 24V de tamaño compacto (18mm de diámetro). Permite incorporar spots individuales de alto flujo lumínico que pueden posicionarse de forma libre a lo largo de todo el carril. El sistema está disponible en versión suspensión.

SIS cuenta con diferentes fuentes de luz, spots downlight con ópticas de diferentes ángulos de apertura (24°, 36° y 60°), proyectores orientables (24°, 36° y 60°), y un spot decorativo de vidrio opalino. A la colección del sistema se suma el accesorio de cristal estriado adaptable a los focos downlight.

Las fuentes de luz de la colección SIS System están disponibles en los acabados latón, negro, gris y blanco, mientras que el carril siempre se muestra en acabado negro.

SIS ist ein dreidimensionale Beleuchtungssystem auf einer kompakten 24-V-Stromschiene (18 mm Durchmesser) Es erlaubt die Integration einzelner Lichtpunkte mit hoher Intensität, die entlang der gesamten Schiene frei positioniert werden können. Das System ist auch in hängender Version erhältlich.


SIS verfügt über verschiedene Lichtquellen: Downlight-Lichtpunkte mit unterschiedlichen Öffnungswinkeln (24°, 36° und 60°), verstellbare Strahler (24°, 36° und 60°) und einen dekorativen Lichtpunkt aus Opalglas. Als Ergänzung umfasst die Kollektion des Systems ein Zubehör aus geriffeltem Glas, das an die Downlight-Strahler angepasst werden kann.

Die Lichtquellen der Kollektion SIS System sind in den Ausführungen Messing, Schwarz, grau und Weiß erhältlich, während die Schiene immer schwarz ist.




Sis System

SIS SYSTEM SUSPENSION PROFILE S UNI




SIS SYSTEM SUSPENSION PROFILE S DEP



SIS SYSTEM SINGLE CANOPY SURFACE



sIS SYSTEM MULTIPLE CANOPY SURFACE




○ White (matte) ● Black (matte) ● Brass (mate)


771100	SIS SYSTEM SUSPENSION PROFILE S100 UNI BLACK	24V
771101	SIS SYSTEM SUSPENSION PROFILE S100 UNI WHITE	
771110	SIS SYSTEM SUSPENSION PROFILE S150 UNI BLACK	
771111	SIS SYSTEM SUSPENSION PROFILE S150 UNI WHITE	
771120	SIS SYSTEM SUSPENSION PROFILE S200 UNI BLACK	
771121	SIS SYSTEM SUSPENSION PROFILE S200 UNI WHITE	
771130	SIS SYSTEM SUSPENSION PROFILE S250 UNI BLACK	24V
771131	SIS SYSTEM SUSPENSION PROFILE S250 UNI WHITE	
771200	SIS SYSTEM SUSPENSION PROFILE S100 DEP BLACK	
771201	SIS SYSTEM SUSPENSION PROFILE S100 DEP WHITE	
771210	SIS SYSTEM SUSPENSION PROFILE S150 DEP BLACK	
771211	SIS SYSTEM SUSPENSION PROFILE S150 DEP WHITE	
771220	SIS SYSTEM SUSPENSION PROFILE S200 DEP BLACK	
771221	SIS SYSTEM SUSPENSION PROFILE S200 DEP WHITE	
771230	SIS SYSTEM SUSPENSION PROFILE S250 DEP BLACK	24V 200W ON/OFF
771231	SIS SYSTEM SUSPENSION PROFILE S250 DEP WHITE	
771900	SIS SYSTEM SINGLE CANOPY SURFACE BLACK	24V 60W ON/OFF
771901	SIS SYSTEM SINGLE CANOPY SURFACE WHITE	
771910	SIS SYSTEM MULTIPLE CANOPY SURFACE BLACK	24V 200W ON/OFF
771911	SIS SYSTEM MULTIPLE CANOPY SURFACE WHITE	



SIS SYSTEM SPOT



SIS SYSTEM SPOTLIGHT




○ White (matte) ● Black (matte) ● Brass (mate) ● Grey (matte)

771300	SIS SYSTEM SPOT 24° BLACK	LED 6,3W 627lm 350mA 2700K CRI≥90
771301	SIS SYSTEM SPOT 24° WHITE	
771302	SIS SYSTEM SPOT 24° BRASS	
771303	SIS SYSTEM SPOT 24° GREY	
771310	SIS SYSTEM SPOT 36° BLACK	LED 6,3W 627lm 350mA 2700K CRI≥90
771311	SIS SYSTEM SPOT 36° WHITE	
771312	SIS SYSTEM SPOT 36° BRASS	
771313	SIS SYSTEM SPOT 36° GREY	
771320	SIS SYSTEM SPOT 60° BLACK	LED 6,3W 627lm 350mA 2700K CRI≥90
771321	SIS SYSTEM SPOT 60° WHITE	
771322	SIS SYSTEM SPOT 60° BRASS	
771323	SIS SYSTEM SPOT 60° GREY	
771330	SIS SYSTEM SPOTLIGHT 24° BLACK	LED 6,3W 627lm 350mA 2700K CRI≥90
771331	SIS SYSTEM SPOTLIGHT 24° WHITE	
771332	SIS SYSTEM SPOTLIGHT 24° BRASS	
771333	SIS SYSTEM SPOTLIGHT 24° GREY	
771340	SIS SYSTEM SPOTLIGHT 36° BLACK	LED 6,3W 627lm 350mA 2700K CRI≥90
771341	SIS SYSTEM SPOTLIGHT 36° WHITE	
771342	SIS SYSTEM SPOTLIGHT 36° BRASS	
771343	SIS SYSTEM SPOTLIGHT 36° GREY	
771350	SIS SYSTEM SPOTLIGHT 60° BLACK	LED 6,3W 627lm 350mA 2700K CRI≥90
771351	SIS SYSTEM SPOTLIGHT 60° WHITE	
771352	SIS SYSTEM SPOTLIGHT 60° BRASS	
771353	SIS SYSTEM SPOTLIGHT 60° GREY	


Sis System



SIS SYSTEM SPOT OPAL GLASS DIFFUSER




SIS SYSTEM SPOT GROOVE GLASS DIFFUSER ACCESSORY



○ White (matte) ● Black (matte) ● Brass (mate) ● Grey (matte)


771370	SIS SYSTEM SPOT OPAL GLASS DIFFUSER BLACK	LED 6,3W 627lm 350mA 2700K CRI≥90
771371	SIS SYSTEM SPOT OPAL GLASS DIFFUSER WHITE	
771372	SIS SYSTEM SPOT OPAL GLASS DIFFUSER BRASS	
771373	SIS SYSTEM SPOT OPAL GLASS DIFFUSER GREY	
771950	SIS SYSTEM SPOT GROOVE GLASS DIFFUSER ACCESSORY	

SIS SYSTEM INSTALLATION EXAMPLES







SIS SYSTEM INSTALLATION EXAMPLES




SIS SYSTEM INSTALLATION EXAMPLES



SIS SYSTEM INSTALLATION EXAMPLES



SIS SYSTEM INSTALLATION EXAMPLES



Sis Spot

by **María Güell**
& **Carrasquet**

Architectural
lighting

Collection of surface and pendant spotlights manufactured in aluminium, for direct and focused lighting. They have lenses with different angles of aperture (24°, 36° and 60°). The pendant version has the options of opal glass and a striated glass accessory. SIS is available in white, black, grey and brass finishes.

Colección de focos en superficie y suspendidos fabricados en aluminio, de iluminación directa y orientables. Cuentan con ópticas de diferentes ángulos de apertura (24°, 36° y 60°). La versión suspensión cuenta con las opciones de vidrio opalino y el accesorio de vidrio estriado. SIS está disponible en los acabados blanco, negro, gris y latón.


Kollektion von Stahlern in Aufputz- und Hängeversion aus Aluminium für direkte und ausrichtbare Beleuchtung. Die Optiken sind mit unterschiedlichen Öffnungswinkeln (24°, 36° und 60°) erhältlich. Für die Hängeversion gibt es die Optionen Opalglas und Zubehör aus geriffeltem Glas. SIS ist in den Ausführungen Weiß, Schwarz, grau und Messing.




Sis Spot



SIS SPOT C D40




SIS SPOTLIGHT C D40




● Black (matte) ● Brass (matte) ○ White (matte) ● Grey (matte)

771500	SIS SPOT C D40 24° BLACK	
771501	SIS SPOT C D40 24° WHITE	LED 4W 350lm 2700K
771502	SIS SPOT C D40 24° BRASS	CRI≥90 230V
771503	SIS SPOT C D40 24° GREY	
771510	SIS SPOT C D40 36° BLACK	
771511	SIS SPOT C D40 36° WHITE	LED 4W 350lm 2700K
771512	SIS SPOT C D40 36° BRASS	CRI≥90 230V
771513	SIS SPOT C D40 36° GREY	
771520	SIS SPOT C D40 60° BLACK	
771521	SIS SPOT C D40 60° WHITE	LED 4W 350lm 2700K
771522	SIS SPOT C D40 60° BRASS	CRI≥90 230V
771523	SIS SPOT C D40 60° GREY	


771530	SIS SPOTLIGHT C D40 24° BLACK	
771531	SIS SPOTLIGHT C D40 24° WHITE	LED 4W 350lm
771532	SIS SPOTLIGHT C D40 24° BRASS	2700K CRI≥90 230V
771533	SIS SPOTLIGHT C D40 24° GREY	
771540	SIS SPOTLIGHT C D40 36° BLACK	
771541	SIS SPOTLIGHT C D40 36° WHITE	LED 4W 350lm
771542	SIS SPOTLIGHT C D40 36° BRASS	2700K CRI≥90 230V
771543	SIS SPOTLIGHT C D40 36° GREY	
771550	SIS SPOTLIGHT C D40 60° BLACK	
771551	SIS SPOTLIGHT C D40 60° WHITE	LED 4W 350lm
771552	SIS SPOTLIGHT C D40 60° BRASS	2700K CRI≥90 230V
771553	SIS SPOTLIGHT C D40 60° GREY	



SIS SPOT C D60




SIS SPOTLIGHT C D60



● Black (matte) ● Brass (matte) ○ White (matte) ● Grey (matte)

771560	SIS SPOT C D60 26° BLACK	
771561	SIS SPOT C D60 26° WHITE	LED 8W 635lm 2700K
771562	SIS SPOT C D60 26° BRASS	CRI≥90 230V
771563	SIS SPOT C D60 26° GREY	
771570	SIS SPOT C D60 60° BLACK	
771571	SIS SPOT C D60 60° WHITE	LED 8W 635lm 2700K
771572	SIS SPOT C D60 60° BRASS	CRI≥90 230V
771573	SIS SPOT C D60 60° GREY	


771580	SIS SPOTLIGHT C D60 26° BLACK	
771581	SIS SPOTLIGHT C D60 26° WHITE	LED 8W 635lm
771582	SIS SPOTLIGHT C D60 26° BRASS	2700K CRI≥90 230V
771583	SIS SPOTLIGHT C D60 26° GREY	
771590	SIS SPOTLIGHT C D60 60° BLACK	
771591	SIS SPOTLIGHT C D60 60° WHITE	LED 8W 635lm
771592	SIS SPOTLIGHT C D60 60° BRASS	2700K CRI≥90 230V
771593	SIS SPOTLIGHT C D60 60° GREY	




Sis Spot



SIS SPOT S D40



SIS SPOT SR D40




- Black (matte)
- Brass (matte)
- White (matte)
- Grey (matte)

771600	SIS SPOT S D40 24° BLACK	
771601	SIS SPOT S D40 24° WHITE	LED 6,3W 627lm 350mA
771602	SIS SPOT S D40 24° BRASS	2700K CRI≥90 230V
771603	SIS SPOT S D40 24° GREY	
771610	SIS SPOT S D40 36° BLACK	
771611	SIS SPOT S D40 36° WHITE	LED 6,3W 627lm 350mA
771612	SIS SPOT S D40 36° BRASS	2700K CRI≥90 230V
771613	SIS SPOT S D40 36° GREY	
771620	SIS SPOT S D40 60° BLACK	
771621	SIS SPOT S D40 60° WHITE	LED 6,3W 627lm 350mA
771622	SIS SPOT S D40 60° BRASS	2700K CRI≥90 230V
771623	SIS SPOT S D40 60° GREY	




771700	SIS SPOT SR D40 24° BLACK	
771701	SIS SPOT SR D40 24° WHITE	LED 6,3W 627lm 350mA
771702	SIS SPOT SR D40 24° BRASS	2700K CRI≥90 230V
771703	SIS SPOT SR D40 24° GREY	
771710	SIS SPOT SR D40 36° BLACK	
771711	SIS SPOT SR D40 36° WHITE	LED 6,3W 627lm 350mA
771712	SIS SPOT SR D40 36° BRASS	2700K CRI≥90 230V
771713	SIS SPOT SR D40 36° GREY	
771720	SIS SPOT SR D40 60° BLACK	
771721	SIS SPOT SR D40 60° WHITE	LED 6,3W 627lm 350mA
771722	SIS SPOT SR D40 60° BRASS	2700K CRI≥90 230V
771723	SIS SPOT SR D40 60° GREY	

SIS SPOT S/SR OPAL GLASS DIFFUSER




- Black (matte)
- Brass (matte)
- White (matte)
- Grey (matte)

771670	SIS SPOT S OPAL GLASS DIFFUSER BLACK	
771671	SIS SPOT S OPAL GLASS DIFFUSER WHITE	LED 6,3W 627lm
771672	SIS SPOT S OPAL GLASS DIFFUSER BRASS	350mA 2700K
771673	SIS SPOT S OPAL GLASS DIFFUSER GREY	CRI≥90 230V
771770	SIS SPOT SR OPAL GLASS DIFFUSER BLACK	
771771	SIS SPOT SR OPAL GLASS DIFFUSER WHITE	LED 6,3W 627lm
771772	SIS SPOT SR OPAL GLASS DIFFUSER BRASS	350mA 2700K
771773	SIS SPOT SR OPAL GLASS DIFFUSER GREY	CRI≥90 230V



SIS SPOT GROOVE GLASS DIFFUSER ACCESSORY



771951	SIS SPOT GROOVE GLASS DIFFUSER ACCESSORY
--------	---

Outdoor lighting



C_Ball Outdoor

by
Stone Designs

Outdoor
lighting


C_Ball W Outdoor is comprised of an opal glass sphere whose characteristics grant it a high degree of resistance to UVA rays, as well as unbeatable light quality. This outdoor wall light's metal parts are available in different finishes: black, beige, turquoise and corten.

C_Ball W Outdoor está formada por una esfera de vidrio opal, cuyas características le otorgan un elevado grado de resistencia a los rayos UVA, así como una inmejorable calidad de luz. Las partes metálicas de este aplique de exterior están disponibles en diferentes acabados: negro, beige, turquesa y corten.

C_Ball W Outdoor besteht aus einer Opalglaskugel mit hoher Beständigkeit gegen UV-Strahlen und unvergleichlicher Lichtqualität. Die Metallteile dieser Wandleuchte für den Außenbereich sind in verschiedenen Ausführungen erhältlich: Schwarz, Beige, Türkis und Cortenstahl.



C_BALL W OUTDOOR



- Black
- Beige
- Clear Turquoise
- Corten

748431	C_BALL W OUTDOOR CORTEN	LED 6W (E14)
748432	C_BALL W OUTDOOR BEIGE	
748433	C_BALL W OUTDOOR CLEAR TURQUOISE	
748435	C_BALL W OUTDOOR BLACK	



Sis Outdoor

by **María Güell
& Carrasquet**

**Outdoor
lighting**


Sis Outdoor is a small outdoor ceiling downlight lamp (IP65). As its driver is built into its light source, it can be installed on any surface. Its solid glass lens guarantees great light quality and comfort with no glare. Finishes: Black, white, corten and bronze. Available in special finishes.

Sis Outdoor es un plafón de reducidas dimensiones downlight de exterior IP65. Al tener su driver integrado en la fuente de luz, permite su instalación en cualquier superficie. Su lente de sólido de cristal asegura una gran calidad de luz y confort lumínico, con ausencia de deslumbramiento. Acabados: Negro, blanco, corten y bronce. Disponible en acabados especiales.

Sis Outdoor ist eine kleine Downlight-Deckenleuchte für den Außenbereich mit Schutzart IP65. Da der Treiber in die Lichtquelle integriert ist, kann sie auf jeder Oberfläche installiert werden. Die solide Glaslinse sorgt für hohe Lichtqualität und Beleuchtungskomfort, ohne zu blenden. Ausführungen: Schwarz, Weiß, Cortenstahl oder Bronze. Erhältlich in Sonderausführungen.




SIS C OUTDOOR



- Black ○ White ● Corten ● Bronze

771400	SIS C OUTDOOR BLACK	LED 7W 520lm 2700K CRI≥90 230V
771401	SIS C OUTDOOR WHITE	
771402	SIS C OUTDOOR CORTEN	
771403	SIS C OUTDOOR BRONZE	



B.lux

Soft

by
Josep Lluís Xuclà

**Outdoor
lighting**

Soft is an outdoor bollard available in two heights (45 and 65 cm) and manufactured in aluminium. It has a reflector and a diffuser with a large aperture to generate a 180° light beam. Finishes: black, olive, beige and corten.

Soft es una baliza de exterior disponible en dos alturas (45 y 65 cm) y fabricada en aluminio. Cuenta con un reflector y difusor de gran apertura que genera un haz de luz de 180°. Acabados: negro, oliva, beige y corten.


Soft ist ein Leuchtpfosten aus Aluminium für den Außenbereich und in zwei Höhen (45 und 65 cm) erhältlich. Er hat einen Reflektor mit großem Öffnungswinkel und einen Diffusor, der einen Lichtstrahl von 180° erzeugt. Ausführungen: Schwarz, Olive, Beige und Cortenstahl.




Soft



SOFT 45



SOFT 65



- Black ● Olive ● Beige ● Corten

770240	SOFT 45 BLACK	
770241	SOFT 45 OLIVE	LED 6,4W 640lm 2700K CRI≥90 230V
770242	SOFT 45 BEIGE	DIM PHASE CUT
770243	SOFT 45 CORTEN	

770260	SOFT 65 BLACK	
770261	SOFT 65 OLIVE	LED 6,4W 640lm 2700K CRI≥90 230V
770262	SOFT 65 BEIGE	DIM PHASE CUT
770263	SOFT 65 CORTEN	

770900	SPIKE BLACK
770901	SPIKE OLIVE
770902	SPIKE BEIGE
744902	SPIKE CORTEN



Soft W


by
Josep Lluís Xuclà

Outdoor
lighting


Soft W is a wall outdoor lamp available in two versions: WH with indirect lighting that washes the wall, and WV with direct lighting, an opal diffuser and an angle of aperture of 180°. Finishes: black, olive, beige and corten.

Soft W es un aplique de exterior disponible en dos versiones: WH de luz indirecta bañando la pared y WV de luz directa con difusor opalino y un ángulo de apertura de 180°. Acabados: negro, oliva, beige y corten.


Soft W ist eine Wandleuchte für den Außenbereich und in zwei Versionen erhältlich: WH mit indirektem Licht als Wandfluter und WV mit direktem Licht, opalinem Diffusor und einem Öffnungswinkel von 180°. Ausführungen: Schwarz, Olive, Beige und Cortenstahl.



SOFT WH



SOFT WV



- Black
- Olive
- Beige
- Corten

770100	SOFT WH BLACK	LED 6,4W 640lm 2700K CRI≥90 230V DIM PHASE CUT
770101	SOFT WH OLIVE	
770102	SOFT WH BEIGE	
770103	SOFT WH CORTEN	
770150	SOFT WV BLACK	LED 6,4W 640lm 2700K CRI≥90 230V DIM PHASE CUT
770151	SOFT WV OLIVE	
770152	SOFT WV BEIGE	
770153	SOFT WV CORTEN	



Tube W

by
Josep Lluís Xuclà

Outdoor
lighting


Outdoor wall light featuring a rotating LED head. Its wedge-shaped base adjusts the beam of light based on its orientation. Available in olive, corten, black or white finishes.

Applique de exterior con cabeza lumínica LED giratoria. Su base en forma de cuña genera haces de luz más abiertos o cerrados en rigor a su orientación. Disponible en acabados oliva, corten, negro o blanco.

Wandleuchte für den Außenbereich mit drehbarem LED-Leuchtenkopf. Ihre keilförmige Basis erzeugt je nach Ausrichtung breitere oder schmalere Lichtstrahlen. Erhältlich in den Farben Olive, Cortenstahl, Schwarz oder Weiß.



TUBE W



● Olive ● Corten ● Black ○ White

744101	TUBE W OLIVE	LED 4,5W 546lm 250mA 3000K CRI≥90 230V
744102	TUBE W CORTEN	
744103	TUBE W BLACK	
744104	TUBE W WHITE	

IP54 EAC

Zenthin

by **Martínez
y Soler Arquitectos**

**Outdoor
lighting**

Outdoor LED floor lamp available with one (1L) or two lights (2L). Made in corten aluminum, and clad in ipe wooden panels on two sides. Zenthin has a fully embedded LED light source for a completely anti-glare lighting. Optional: painted finish without wood.


Luminaria de pie LED de exterior con una (1L) o dos luces (2L). Está fabricada en aluminio con acabado corten, y recubierta en dos de sus caras por láminas de madera natural de ipe. Zenthin porta una fuente de luz LED completamente integrada, lo que garantiza una ausencia total de deslumbramiento. Opcional: acabado pintado sin madera.

LED-Steheuchte für den Außenbereich, verfügbar mit einer 1L und zwei 2L Leuchten. Sie werden aus Aluminium mit einem Finish aus Corten-Stahl hergestellt, und zwei Seiten mit naturbelassenem Holz des afrikanischen Pflaumenbaums beschichtet. Zenthin ist mit einer komplett eingebauten LED-Lichtquelle ausgestattet, die jede Blendung ausschließt. Optional: Finish, gestrichen ohne Holz.






ZENTHIN 1



ZENTHIN 2



Corten / wood

759201	ZENTHIN 1	LED 4 x 6,4W 350mA 3040lm 3000K CRI≥90 230V
759202	ZENTHIN 2	LED 4 x 6,4W 350mA 3040lm 3000K CRI≥90 230V + LED 2 x 6,4W 350mA 1520lm 3000K CRI≥90 230V
678910	ZENTHIN: SET OF BOLT FIXTURES	



Zenthin W

by Martínez
y Soler Arquitectos

Outdoor
lighting


Outdoor LED wall lamp. Made in corten aluminum and clad in ipe wooden panels on two sides. Zenthin has a fully embedded LED light source for a completely anti-glare lighting. Optional: painted finish without wood.

Aplique LED de exterior. Está fabricado en aluminio con acabado corten, y recubierta en dos de sus caras por láminas de madera natural de ipe. Zenthin porta una fuente de luz LED completamente integrada, lo que garantiza una ausencia total de deslumbramiento. Opcional: acabado pintado sin madera.

LED-Wandleuchte für den Außenbereich. Sie werden aus Aluminium mit einem Finish aus Corten-Stahl hergestellt, und zwei Seiten mit naturbelassenem Holz des afrikanischen Pflaumenbaums beschichtet. Zenthin ist mit einer komplett eingebauten LED-Lichtquelle ausgestattet, die jede Blendung ausschließt. Optional: Finish, gestrichen ohne Holz.



ZENTHIN W



Corten / wood

759100

ZENTHIN W

LED 2 x 6,4W 350mA 1520lm 3000K CRI≥90 230V



Iconography

	Suspension lamp Luminaria de suspensión Hängeleuchte		Floor lamp Luminaria de pie Stehleuchte		Table lamp Luminaria de mesa Tischleuchte
	Wall lamp Luminaria de pared Wandleuchte		Ceiling lamp Luminaria de techo Deckenleuchte		Lighting systems Sistemas de iluminación Beleuchtungssysteme

	Degree of protection 20		Degree of protection 44		Degree of protection 54
	Degree of protection 55		Degree of protection 65		Programme for the Endorsement of Forest Certification
	Class I		Class II		Class III
	European norm		EAC certification		ENEC certification
	N certification		Dimmer		Bluetooth



CASAMBI B.lux powered by Casambi App

The Casambi app works as one of the user interfaces in a Casambi lighting control solution, as the commissioning tool and as well as a remote gateway. The Casambi app works with iOS as well as Android devices, like smartphones, tablets and smartwatches. The app is free to download by any end-user.

The Casambi app is made by user interface experts and in a way, that anyone – regardless of technical proficiency – can use it. The Casambi lighting control technology gives a possibility for Casambi’s partners to implement and develop anything needed for a full-featured lighting control system, but the Casambi app only shows in the user interface the functionality that is relevant to that particular installation. Therefore, the Casambi app is equally well suitable for the professional lighting market as well as the residential field.

B.LUX S.A.
Pol. Ind. Okamika, pab. 1
Gizaburuaga (Bizkaia) SPAIN
T.(+34) 94 682 72 72
F.(+34) 94 682 49 02
info@grupoblux.com
www.bluxlighting.com



DEPÓSITO LEGAL

B.lux S.A. reserves the right to make any modifications and remove products and their technical characteristics without prior notice.
B.lux S.A. se reserva el derecho de efectuar cualquier modificación y anulación de los productos y sus características técnicas, sin previo aviso.
B.lux S.A. behalte sich das Recht vor, Produkte bzw. Deren technische Eigenschaften ohne vorherige Ankündigung abzuändern oder zu streichen.

Acknowledgments and Project references:

ILMIO Design
Hotel Canfranc, Canfranc (Spain)
www.ilmio.design
Page 18

Stone Designs
Revival Cafe, Madrid (Spain)
www.stone-dsgns.com
Page 232

OOAA Arquitectura
Architecture Studio, Madrid (Spain)
www.ooaa.es
Page 260

Studio Libeskind
MO Museum, Vilnius (Lithuania)
www.libeskind.com
Page 334

B.lux